

## CORRIGENDUM: COMPLEXITY OF INFINITE WORDS ASSOCIATED WITH BETA-EXPANSIONS

CHRISTIANE FROUGNY<sup>1,2</sup>, ZUZANA MASÁKOVÁ<sup>3</sup> AND  
EDITA PELANTOVÁ<sup>3</sup>

**Abstract.** We add a sufficient condition for validity of Proposition 4.10 in the paper Frougny *et al.* (2004). This condition is not a necessary one, it is nevertheless convenient, since anyway most of the statements in the paper Frougny *et al.* (2004) use it.

**Mathematics Subject Classification.** 11A63, 11A67, 37B10, 68R15

RAIRO-Inf. Theor. Appl. **38** (2004) 163-185.

### 1. INTRODUCTION

The aim of this note is to correct the mistake contained in our paper [2]. We shall use the notation of the paper and refer to the statements included in it.

We were pointed out [1] a counterexample to assertion (1) of Theorem 6.2 in the paper. The assertion says that the complexity of the fixed point  $u_\beta$  of the canonical substitution  $\varphi_\beta$  associated with a simple Parry number  $\beta$  with the Rényi expansion  $d_\beta(1) = t_1 t_2 \cdots t_{m-1} 1$  is affine, namely  $\mathcal{C}(n) = (m-1)n + 1$ . This statement is however true only under the condition used for assertion (2) of the theorem, namely that the Rényi expansion  $d_\beta(1) = t_1 t_2 \cdots t_m$  satisfies

$$t_1 = t_2 = \cdots = t_{m-1} \quad \text{or} \quad t_1 > \max\{t_2, \dots, t_{m-1}\}. \quad (*)$$

The mistake occurred due to a slip in the proof of Proposition 4.10. We show in this note that under the additional condition (\*) the proposition is valid.

---

<sup>1</sup> LIAFA, CNRS UMR 7089, 2 place Jussieu, 75251 Paris Cedex 05, France;  
e-mail: [christiane.frougny@liafa.jussieu.fr](mailto:christiane.frougny@liafa.jussieu.fr)

<sup>2</sup> Université Paris 8.

<sup>3</sup> Department of Mathematics, FNSPE, Czech Technical University, Trojanova 13, 120 00 Praha 2, Czech Republic;

e-mail: [masakova@km1.fjfi.cvut.cz](mailto:masakova@km1.fjfi.cvut.cz) & [pelantova@km1.fjfi.cvut.cz](mailto:pelantova@km1.fjfi.cvut.cz)

The corrected version of Proposition 4.10 of [2] is stated here as Proposition 2.2. At the end of this note we explain which statements of the paper [2] need to be equipped with condition (\*), as well.

Let us mention that the condition (\*) in Proposition 2.2 may be weakened. Nevertheless, we have chosen the condition in the form (\*), since anyway most of the statements in the paper [2] use it.

## 2. PROOF OF PROPOSITION 4.10 OF [2]

In order to prove Proposition 2.2 we need the following lemma.

**Lemma 2.1.** *Let  $t_1 > \max\{t_2, \dots, t_{m-1}\}$ . Let  $w$  be a right special factor of  $u_\beta$  with at least 3 distinct right extensions  $X, Y, Z$ , such that  $w$  contains a non-zero letter,  $wX$  is a left special factor and  $X \neq 0$ . Then there exists a word  $\tilde{w}$  which is a right special factor of  $u_\beta$  with at least 3 distinct right extensions  $\tilde{X}, \tilde{Y}, \tilde{Z}$  such that  $\tilde{w}\tilde{X}$  is a left special factor,  $\tilde{X} \neq 0$ , and  $wX = \varphi(\tilde{w}\tilde{X})$ .*

*Proof.* The word  $w$  can be written as  $w = w'U0^p$ , where  $U \neq 0$  and  $p \geq 0$ . Thus  $U0^pX, U0^pY, U0^pZ$  are factors of  $u_\beta$ . Since at least one of  $X, Y, Z$  is  $\geq 2$ , we can derive from Lemma 4.5 of [2] and condition  $t_1 > \max\{t_2, \dots, t_{m-1}\}$  that  $p < t_1$ . Since  $w'U$  is a left special factor, according to (ii) of Lemma 3.7 there exists a left special factor  $\tilde{w}$  such that  $w'U = \varphi(\tilde{w})$ . Now

$$\begin{aligned} wX &= \varphi(\tilde{w})0^pX \\ wY &= \varphi(\tilde{w})0^pY \\ wZ &= \varphi(\tilde{w})0^pZ \end{aligned}$$

are distinct factors of  $u_\beta$ . Hence there must exist distinct letters  $\tilde{X}, \tilde{Y}, \tilde{Z}$  such that  $\tilde{w}\tilde{X}, \tilde{w}\tilde{Y}, \tilde{w}\tilde{Z}$  are also factors of  $u_\beta$ . Moreover, since  $X \neq 0$  and  $p < t_1$ , we have  $\varphi(\tilde{X}) = 0^pX$ , where  $\tilde{X} \neq 0$ . As  $\varphi(\tilde{w}\tilde{X}) = wX$  is a left special factor, (ii) of Lemma 3.7 implies that  $\tilde{w}\tilde{X}$  is a left special factor, which completes the proof.  $\square$

The following statement is the same as in Proposition 4.10 of [2], except the additional condition (\*).

**Proposition 2.2.** *Let  $d_\beta(1)$  satisfies the condition (\*). Then for every maximal left special factor  $v = v_0v_1 \cdots v_k$  containing a letter  $v_j \neq 0$  there exists a maximal left special factor  $w$  and an  $s \in \{t_1, t_2, \dots, t_{m-1}\}$  such that  $v = \varphi(w)0^s$ .*

*Proof.* Let  $j = \max\{i \mid v_i \neq 0\}$ . According to Lemma 3.7 there exists a left special factor  $w = w_0w_1 \cdots w_\ell$  such that  $v_0v_1 \cdots v_j = \varphi(w_0)\varphi(w_1) \cdots \varphi(w_\ell)$  and thus

$$v = v_0v_1 \cdots v_j0^s = \varphi(w_0)\varphi(w_1) \cdots \varphi(w_\ell)0^s, \quad \text{where } s = k - j.$$

Since  $v$  is maximal, we can use Observation 4.2 and Corollary 4.6 to derive that  $s \in \{t_1, t_2, \dots, t_{m-1}\}$ .

It remains to show that  $w$  is a maximal left special factor of  $u_\beta$ . Assume that  $w$  is not maximal. We distinguish two cases according to which part of condition (\*) is satisfied.

- Let  $t_1 = t_2 = \dots = t_{m-1} =: t$ . Since  $w$  is not maximal, then according to Lemma 4.9 there exists a left special factor  $wX$ , where  $X \neq m-1$  or a left special factor  $w(m-1)0$ . However, then (ii) of Lemma 3.7 implies that  $\varphi(wX) = \varphi(w)0^t(X+1)$ , resp.  $\varphi(w(m-1)0) = \varphi(w)0^{t_m+t_1}1$ , is also a left special factor. Since  $s = t$ , the factor  $v$  is a proper prefix of both of them, which is a contradiction with the maximality of  $v$ .
- Let  $t_1 > \max\{t_2, \dots, t_{m-1}\}$ . Since  $v = \varphi(w)0^s$  is a maximal left special factor of  $u_\beta$  and  $w$  is not maximal, there exists a letter  $X$  such that  $wX$  is again a left special factor. Lemma 3.7 implies that  $\varphi(wX)$  is also a left special factor. Since  $v = \varphi(w)0^s$  may not be a proper prefix of  $\varphi(wX)$ , the condition  $t_1 > \max\{t_2, \dots, t_{m-1}\}$  implies  $X \neq 0$ .

The maximality of the left special factor  $v = \varphi(w)0^s$  implies also existence of distinct letters  $Y^*, Z^*$  such that  $\varphi(w)0^s Y^*, \varphi(w)0^s Z^*$  are factors of  $u_\beta$  and but they are not left special. There must exist distinct letters  $Y, Z$  such that  $wY, wZ$  are factors of  $u_\beta$  but not left special.

We have thus shown that  $w$  is a right special factor with at least 3 distinct right extensions  $X \neq 0, Y, Z$ , where  $wX$  is a left special factor. Repeated use of Lemma 2.1 leads to a right special factor  $w^{(0)} = 0^q$ , for  $q \geq 1$ , which has at least 3 distinct right extensions  $X^{(0)} \neq 0, Y^{(0)}, Z^{(0)}$ , such that  $w^{(0)}X^{(0)}$  is a left special factor of  $u_\beta$ . Lemma 4.5 implies that  $X^{(0)} = 1$  and  $q = t_1$ . At least one letter among  $Y^{(0)}, Z^{(0)}$  is non-zero, say  $Y^{(0)}$ . Then  $Y^{(0)} \geq 2$ , but then  $w^{(0)}Y^{(0)} = 0^{t_1}Y^{(0)}$  is due to Lemma 4.5 not a factor of  $u_\beta$ , which is a contradiction.  $\square$

### 3. CONCLUSIONS

Proposition 4.10 was used in [2] for proving Corollary 4.11, second implication of Theorem 4.12, assertion (1) of Theorem 6.2 and Corollary 6.3. Therefore condition (\*) should be added in the mentioned statements as well.

*Acknowledgements.* We are grateful to V. Berthé and J. Bernat for pointing out a counterexample to assertion (1) of Theorem 6.2 in our paper.

### REFERENCES

- [1] J. Bernat and V. Berthé, *Oral communication*.
- [2] Ch. Frougny, Z. Masáková and E. Pelantová, Complexity of infinite words associated with beta-expansions. *RAIRO-Inf. Theor. Appl.* **38** (2004) 163–185.